

Clinica Chimica Acta 287 (1999) 177-178



www.elsevier.com/locate/clinchim

Author index

Volume 287 (1999)

Abe, A., see Yamada, S. **287**, 29 Amuro, Y., see Fujita, T. **287**, 99 Asai, S., see Ohta, H. **287**, 131

Badger, T.M., see Cimino, C.O. **287**, 69 Bravo-Osorio, L.M., see Soares, R.P.S. **287**, 157 Bydlowski, S.P., see Soares, R.P.S. **287**, 157

Cham, B.E., Smith, J.L., Colquhoun, D.M., Interdependence of serum concentrations of vitamin K_1 , vitamin E, lipids, apolipoprotein A_1 , and apolipoprotein B: importance in assessing vitamin status **287**, 45

Chamone, D.A.F., see Soares, R.P.S. 287, 157
Cimino, C.O., Shelnutt, S.R., Ronis, M.J.J., Badger, T.M., An LC-MS method to determine concentrations of isoflavones and their sulfate and glucuronide conjugates in urine 287, 69

Colquhoun, D.M., see Cham, B.E. 287, 45

Ermilova, V.D., see Gershtein, E.S. 287, 59

Fowler, C.J., Sjöberg, E., Tiger, G., Serotonin stimulation of calcium mobilisation in human platelets: choice of units of measurement, effects of age and tobacco use, and correlation with serotonin_{2A} receptor density **287**, 1

Fujita, T., Amuro, Y., Hada, T., Higashino, K., Plasma levels of pipecolic acid, both L- and D-enantiomers, in patients with chronic liver diseases, especially hepatic encephalopathy 287, 99

Fujita, T., Hada, T., Higashino, K., Origin of D- and L-pipecolic acid in human physiological fluids: a study of the catabolic mechanism to pipecolic acid using the lysine loading test **287**, 145

Gershtein, E.S., Shatskaya, V.A., Ermilova, V.D., Kushlinsky, N.E., Krasil'nikov, M.A., Phospatidylinositol 3-kinase expression in human breast cancer **287**, 59

Hada, T., see Fujita, T. 287, 99
Hada, T., see Fujita, T. 287, 145
Hidaka, H., see Okumura, N. 287, 163
Higashino, K., see Fujita, T. 287, 99
Higashino, K., see Fujita, T. 287, 145
Hirayama, N., see Nishiya, Y. 287, 111
Hobbs, G.A., see Kaplan, IV. 287, 173

Inoue, K., see Yamada, S. 287, 29

Kangawa, K., see Ohta, H. 287, 131
Kaplan, I.V., Hobbs, G.A., Levinson, S.S., Corrigendum to "Simpler technique for measuring oxidative susceptibility to heparin affinity column isolation of lipoproteins". [Clinica Chimica Acta 283 (1999) 89–103] 287, 173

Katsuyama, T., see Okumura, N. 287, 163

Kędziora-Kornatowska, K., Effect of angiotensin convertase inhibitors and AT1 angiotensin receptor antagonists on the development of oxidative stress in the kidney of diabetic rats 287,

Kitamura, K., see Ohta, H. **287**, 131 Krasil'nikov, M.A., see Gershtein, E.S. **287**, 59 Kubo, N., see Yamada, S. **287**, 29 Kubono, K., see Yamada, S. **287**, 29 Kushlinsky, N.E., see Gershtein, E.S. **287**, 59

Levinson, S.S., see Kaplan, I.V. 287, 173

Magnanelli, A.C., see Soares, R.P.S. 287, 157

Mizutani, Y., Nakano, Y., Yamada, S., Samejima, T., A new assay method of γ-glutamyltransferase with 4-aminobenzoate hydroxylase from *Agaricus bisporus* as a coupling enzyme 287, 83

Morishita, R., see Yamada, S. 287, 29

Nadler, J.L., see Rahbar, S. **287**, 123 Nakano, Y., see Mizutani, Y. **287**, 83

Nishiya, Y., Hirayama, N., Alteration of substrate affinity of *Streptomyces* cholesterol oxidase for application to the rate assay of cholesterol in serum **287**, 111

Ogihara, T., see Yamada, S. 287, 29

Ohta, H., Tsuji, T., Asai, S., Tanizaki, S., Sasakura, K., Teraoka, H., Kitamura, K., Kangawa, K., A simple immunoradiometric assay for measuring the entire molecules of adrenomedullin in human plasma 287, 131

Oki, K., see Okumura, N. 287, 163

Okumura, N., Terasawa, F., Ueno, I., Oki, K., Yamauchi, K., Hidaka, H., Tozuka, M., Okura, M., Katsuyama, T., Genetic analyses in homozygous and heterozygous variants of lactate dehydrogenase-B (H) subunit -LD-B Matsumoto I and II (LD-B W323R)- 287, 163

Okura, M., see Okumura, N. 287, 163

Rahbar, S., Nadler, J.L., A new rapid method to detect inhibition of Amadori product generated by δ-gluconolactone **287**, 123

Ronis, M.J.J., see Cimino, C.O. 287, 69

Sakurabayashi, I., see Yamada, S. 287, 29 Samejima, T., see Mizutani, Y. 287, 83 Sasakura, K., see Ohta, H. 287, 131 Shatskaya, V.A., see Gershtein, E.S. 287, 59 Shelnutt, S.R., see Cimino, C.O. 287, 69 Sjöberg, E., see Fowler, C.J. 287, 1 Smith, J.L., see Cham, B.E. 287, 45 Soares, R.P.S., Magnanelli, A.C., Bravo-Osorio, L.M., Chamone, D.A.F., Bydlowski, S.P., Rapid and non-isotopic detection of intron 18 polymorphism of the factor VIII gene

Tanizaki, S., see Ohta, H. **287**, 131
Teraoka, H., see Ohta, H. **287**, 131
Terasawa, F., see Okumura, N. **287**, 163
Tiger, G., see Fowler, C.J. **287**, 1
Tozuka, M., see Okumura, N. **287**, 163
Tsuji, T., see Ohta, H. **287**, 131

Ueno, I., see Okumura, N. 287, 163

Yamada, S., Inoue, K., Morishita, R., Ogihara, T., Kubono, K., Kubo, N., Abe, A., Sakurabayashi, I., A new Lp(a) assay that is unaffected by apo(a) size polymorphism 287, 29
Yamada, S., see Mizutani, Y. 287, 83
Yamauchi, K., see Okumura, N. 287, 163



Clinica Chimica Acta 287 (1999) 179-181



www.elsevier.com/locate/clinchim

Subject index

Volume 287 (1999)

- Adrenomedullin; Immunoradiometric assay; Monoclonal antibody 287, 131
- Age; Serotonin_{2A} receptors; Thrombin; Human platelets; Calcium; Tobacco use; Fura-2; Lysergic acid diethylamide 287, 1
- Alteration of substrate affinity; Cholesterol oxidase; Protein engineering; Mutational effects; Rate assay of cholesterol 287, 111
- **4-Aminobenzoate hydroxylase**; γ-Glutamyltransferase; Ultraviolet spectrometric determination **287**, 83
- γ-Aminobutyric acid; Pipecolic acid; Enantiomer; Hepatic encephalopathy and intestinal bacteria 287, 99
- Anti-apo(a) K4 type 5-protease domain monoclonal antibody; Lp(a); Apo(a); Immunoassay 287, 29
- Antioxidants; Diabetes; Kidney; Enalapril; Losartan; Oxidative stress; Lipid peroxidation 287,
- **Apo(a)**; Lp(a); Immunoassay; Anti-apo(a) K4 type 5-protease domain monoclonal antibody **287**, 29
- **Apolipoprotein** A₁; Vitamin E; Vitamin K₁; Apolipoprotein B; Cholesterol **287**, 45
- **Apolipoprotein B**; Vitamin E; Vitamin K₁; Apolipoprotein A₁; Cholesterol **287**, 45

- **Breast cancer**; Phospatidylinositol 3-kinase; Western blotting; Epidermal growth factor receptor; Mammary gland **287**, 59
- Calcium; Serotonin_{2A} receptors; Thrombin; Human platelets; Age; Tobacco use; Fura-2; Lysergic acid diethylamide **287**, 1
- Cholesterol oxidase; Protein engineering; Alteration of substrate affinity; Mutational effects; Rate assay of cholesterol 287, 111
- Cholesterol; Vitamin E; Vitamin K₁; Apolipoprotein B; Apolipoprotein A₁ **287**, 45
- Daidzein; Soy; Isoflavones; Sulfates; Genistein; LC-MS 287, 69
- Diabetes; Kidney; Enalapril; Losartan; Oxidative stress; Lipid peroxidation; Antioxidants 287, 19
- **Electrophoretic variant**; Lactate dehydrogenase; Isoenzymes; Genetic variant; Missense mutation **287**, 163
- Enalapril; Diabetes; Kidney; Losartan; Oxidative stress; Lipid peroxidation; Antioxidants 287, 19
- **Enantiomer**; Pipecolic acid; γ-Aminobutyric acid; Hepatic encephalopathy and intestinal bacteria **287**, 99
- **Epidermal growth factor receptor**; Phospatidylinositol 3-kinase; Western blotting; Breast cancer; Mammary gland **287**, 59

PII: S009-8981(99)00156-4

- Factor VIII; Hemophilia A; Polymorphism; Gene; SSCP 287, 157
- Fura-2; Serotonin_{2A} receptors; Thrombin; Human platelets; Calcium; Age; Tobacco use; Lysergic acid diethylamide 287, 1
- Genetic variant; Lactate dehydrogenase; Isoenzymes; Electrophoretic variant; Missense mutation 287, 163
- Gene; Hemophilia A; Factor VIII; Polymorphism; SSCP 287, 157
- Genistein; Soy; Isoflavones; Sulfates; Daidzein; LC-MS 287, 69
- δ-Gluconolactone; Glycation; Glycated hemoglobin; Glycation assay; Inhibitors of glycation 287, 123
- γ-Glutamyltransferase; 4-Aminobenzoate hydroxylase; Ultraviolet spectrometric determination 287, 83
- Glycated hemoglobin; Glycation; Glycation assay; Inhibitors of glycation; δ-Gluconolactone 287, 123
- Glycation assay; Glycation; Glycated hemoglobin; Inhibitors of glycation; δ-Gluconolactone 287, 123
- Glycation; Glycated hemoglobin; Glycation assay; Inhibitors of glycation; δ-Gluconolactone 287, 123
- Hemophilia A; Factor VIII; Polymorphism; Gene;SSCP 287, 157
- Hepatic encephalopathy and intestinal bacteria; Pipecolic acid; Enantiomer; γ-Aminobutyric acid 287, 99
- Human platelets; Serotonin_{2A} receptors; Thrombin; Calcium; Age; Tobacco use; Fura-2; Lysergic acid diethylamide 287, 1
- Immunoassay; Lp(a); Apo(a); Anti-apo(a) K4 type 5-protease domain monoclonal antibody 287,
- **Immunoradiometric** assay; Adrenomedullin; Monoclonal antibody **287**, 131

- Inhibitors of glycation; Glycation; Glycated hemoglobin; Glycation assay; δ-Gluconolactone **287**, 123
- **Isoenzymes**; Lactate dehydrogenase; Electrophoretic variant; Genetic variant; Missense mutation **287**, 163
- Isoflavones; Soy; Sulfates; Genistein; Daidzein; LC-MS 287, 69
- **Isomer**; Pipecolic acid; Peroxisomal disorders; Plants and intestinal bacteria **287**, 145
- Kidney; Diabetes; Enalapril; Losartan; Oxidative stress; Lipid peroxidation; Antioxidants 287, 19
- LC-MS; Soy; Isoflavones; Sulfates; Genistein; Daidzein 287, 69
- Lactate dehydrogenase; Isoenzymes; Electrophoretic variant; Genetic variant; Missense mutation 287, 163
- Lipid peroxidation; Diabetes; Kidney; Enalapril; Losartan; Oxidative stress; Antioxidants 287, 19
- Losartan; Diabetes; Kidney; Enalapril; Oxidative stress; Lipid peroxidation; Antioxidants 287, 19
- **Lp(a)**; Apo(a); Immunoassay; Anti-apo(a) K4 type 5-protease domain monoclonal antibody **287**, 29
- Lysergic acid diethylamide; Serotonin_{2A} receptors; Thrombin; Human platelets; Calcium; Age;
 Tobacco use; Fura-2 287, 1
- Mammary gland; Phospatidylinositol 3-kinase; Western blotting; Epidermal growth factor receptor; Breast cancer 287, 59
- **Missense mutation**; Lactate dehydrogenase; Isoenzymes; Electrophoretic variant; Genetic variant **287**, 163
- **Monoclonal antibody**; Adrenomedullin; Immunoradiometric assay **287**, 131
- Mutational effects; Cholesterol oxidase; Protein engineering; Alteration of substrate affinity; Rate assay of cholesterol 287, 111

- Oxidative stress; Diabetes; Kidney; Enalapril; Losartan; Lipid peroxidation; Antioxidants 287, 19
- **Peroxisomal disorders**; Pipecolic acid; Isomer; Plants and intestinal bacteria **287**, 145
- Phospatidylinositol 3-kinase; Western blotting;Epidermal growth factor receptor; Breast cancer;Mammary gland 287, 59
- **Pipecolic acid**; Enantiomer; γ-Aminobutyric acid; Hepatic encephalopathy and intestinal bacteria **287**, 99
- Pipecolic acid; Isomer; Peroxisomal disorders; Plants and intestinal bacteria 287, 145
- Plants and intestinal bacteria; Pipecolic acid; Isomer; Peroxisomal disorders 287, 145
- Polymorphism; Hemophilia A; Factor VIII; Gene; SSCP 287, 157
- Protein engineering; Cholesterol oxidase; Alteration of substrate affinity; Mutational effects; Rate assay of cholesterol 287, 111
- Rate assay of cholesterol; Cholesterol oxidase;
 Protein engineering; Alteration of substrate affinity; Mutational effects 287, 111
- SSCP; Hemophilia A; Factor VIII; Polymorphism; Gene 287, 157

- Serotonin_{2A} receptors; Thrombin; Human platelets; Calcium; Age; Tobacco use; Fura-2; Lysergic acid diethylamide 287, 1
- Soy; Isoflavones; Sulfates; Genistein; Daidzein; LC-MS 287, 69
- Sulfates; Soy; Isoflavones; Genistein; Daidzein; LC-MS 287, 69
- **Thrombin**; Serotonin_{2A} receptors; Human platelets; Calcium; Age; Tobacco use; Fura-2; Lysergic acid diethylamide **287**, 1
- **Tobacco use**; Serotonin_{2A} receptors; Thrombin; Human platelets; Calcium; Age; Fura-2; Lysergic acid diethylamide **287**, 1
- Ultraviolet spectrometric determination; 4-Aminobenzoate hydroxylase; γ-Glutamyltransferase 287, 83
- Vitamin E; Vitamin K₁; Apolipoprotein B; Apolipoprotein A₁; Cholesterol 287, 45
- Vitamin K₁; Vitamin E; Apolipoprotein B; Apolipoprotein A₁; Cholesterol **287**, 45
- Western blotting; Phospatidylinositol 3-kinase; Epidermal growth factor receptor; Breast cancer; Mammary gland 287, 59